MISSISSIPPI STATE DEPARTMENT OF HEALTH 2014 JUN -6 AH 9: 23

ALL THE STREET SUPP

BUREAU OF PUBLIC WAT CCR CERTIFICATIO CALENDAR YEAR 2	ON CONTRACTOR OF THE CONTRACTO
CALENDAR YEAR 2	D Lo
List PWS ID #s for all Community Water Sys	
The Federal Safe Drinking Water Act (SDWA) requires each Commun Consumer Confidence Report (CCR) to its customers each year. Dependent of the CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures the email a copy of the CCR and Certification to MSDH. Please check all	nity public water system to develop and distribute ending on the population served by the public water in a newspaper of local circulation, or provided to the when distributing the CCR. You must mail, fax of boxes that apply.
Customers were informed of availability of CCR by: (Attach of	copy of publication, water bill or other)
Advertisement in local paper (attach copy of On water bills (attach copy of bill) Email message (MUST Email the message to Other	o the address below)
Date(s) customers were informed:/	<i>/ / /</i>
CCR was distributed by U.S. Postal Service or other dire methods used	ct delivery. Must specify other direct delivery
Date Mailed/Distributed://	
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message	
CCR was published in local newspaper. (Attach copy of published	
Name of Newspaper: The Magee Courier	Simpson County News
Date Published: 5 / 29/14	,
CCR was posted in public places. (Attach list of locations)	Date Posted: / /
CCR was posted on a publicly accessible internet site at the fol	llowing address (DIRECT URL REQUIRED):
nla	
CERTIFICATION I hereby certify that the 2013 Consumer Confidence Report (CCF public water system in the form and manner identified above an the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public wat Department of Health, Bureau of Public Water Supply.	d that I used distribution methods allowed by CCR is true and correct and is consistent with
Name/Title (President, Mayor, Owner, etc.)	Date
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700	May be faxed to: (601)576-7800
Jackson, MS 39215	May be emailed to:

May be emailed to: <u>Melanie. Yanklowski@msdh.state.ms.us</u>

TARRA SUEL

2014 JUN - 3 PN 12: 38

2013 Annual Drinking Water Quality Report Town of D'Lo PWS#: 0640003 May 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from Catahoula Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of D'Lo have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact John H. Berry at 601.847.1721. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 7:00 PM at the Town Hall located at 2158 Simpson HWY 149.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	-------------------------------------------------------------	--------------------------	------	-----	-----------------------------------

10. Barium	N	2013	.02	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013	2.1	1.8 – 2.1	ppb	100		Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013	.14	.13514	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11*	4	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By-	Product	S					
Chlorine	N	2013	1.3	1 – 1.4	ppm	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2013.

We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Town of D'Lo works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Boston-bound cyclist stops in Magee



Julian Cleary on day 1 of his 40 dây journey from New Orleans to Boston

two years, it was time for

Cleary to return home to Whether it was impul-sive or calculated is un-known, but Cleary chose his Windsor Tourist bike

The steel frame makes

Cleary chose a route that would have him trav that would have him traveling over 1,900 miles and stopping at notable places such as the Natchez Trace, Memphis and Niagara Falls.

He plans to complete his journey in 40 days.
Cleary says that his motivation for taking such a long trip was a relative.

long trip was a relative. "My grandfather, when he was in his 50's, toured his bicycle around the

BY MARLAN JONES STAFF WRITER

As the days become warmer and longer bicy-clists will become more common on Mississippi roadways. The number of bicyclists has been steadily increasing over steadily increasing over the past decade

as his mode of transporta-tion. It was made with a steel frame, which was common in the 70's and 80's. the past decade.
The Mississippi Department of Transportation
has made it a point to observe May as National
Bike Month.
A multitude of health the bicycle heavier and stronger, which is ideal for traveling with a full load

of supplies.

They are made longer for a wider range of motion, so the braze-on A minitude of health benefits can be gained from cycling. Cycling improves stamina, tones muscles, and improves heart health, and studies mounts will not interfere mounts will not interfere with peddling. Today's bikes are com-monly made from cheaper, lighter alloys such as aluminum, which have shown it as an excel-

lent way to reduce stress. Julian Cleary is a native of Boston, Mass., and moved to New Orleans, La., to work as a com-puter programmer after have a higher risk of giving way from the over-whelming weight to be hauled over a great dis-

graduating from college. Cleary got into the bik-ing scene a couple of nauted over a great dis-tance.

Cleary proceeded to sell most of the things in his home as he prepared for his journey. The distance between Boston and New years ago after preparing for the move from Boston to New Orleans sparked an idea about a world be-Orleans is 1,530 miles.
Taking the fastest route
by car would require 25
hours in perfect condiyond his comfort zone.

Cleary had owned mountain bikes as a kid mountain bikes as a kid, but went 10 years without owning a bike at all.
Two months before moving south he bought his first street bike.
Cleary and his friends

cteary and his friends packed up the car, strapped the bike to the back, and started their road trip which would be one way for him.

He became more familric became more familiar with the biking scene while living in New Orleans, and began to venture farther and farther with every ride.

Cleary's greatest accomplishment within his proposed to the proposed to

perimeter of the US in one perimeter of the US in on year. If he can go more than quadruple my dis-tance in a single tour at his age. I have no excuse to cut through the countwo years of living in New Orleans was a four day Orieans was a four day trip in which he started at his home in New Orleans and traveled around Lake Ponchatrain for a total of 170 miles. try one way at mine."
On May 5. Cleary embarked on his journey. He set a goal to travel 50 miles a day to allow him

As his work came to an end in New Orleans after

to ride at his leisure and explore any interesting sites along the way. On his third day of trav-eling Cleary reached Co-lumbia, Miss., but not

before running into his fair share of excitement

Along the way a local police officer from Bo-galusa La., stopped and informed Cleary that there was an escaped convict on the loose, and to be cautious of camping in the woods along the highhe woods along the high-vay. Cleary said he immedi-ately stopped his bike, got

fourth day Cleary traveled along Mississippi High-way 35 and was met by multiple hills, which he said made it the most

said made it the most strenuous day by far. On the evening of the fourth day Cleary made it to Magee, where he re-ceived a bittersweet wel-

While traveling a back road headed into town he was charged by a rot-tweiler from a resident's

off and stared the dog di-rectly in his eyes to project dominance. He said, "The dog real-ized I was too tough and retreated." Cleary was called over by some locals who saw the incident and

was congratulated and of-fered ice cold water.

Apparently the dog had a reputation and Cleary was the first to make a successful stand against it. After spending two days in Magee he contin-ued his journey, making his next stop in Ridgeland.

but not before meeting a local journalist interested in his story. Fourteen days into his journey, Cleary has made it as far as Tupelo.

He has been met with many trials along the way to include bad weather, blown inner tubes, and broken spokes.

Julian Cleary documents his trip each day on his blog at www.portal-soup.com, which never suffers from a lack of de-tails.

2013 Annual Drinking Water Quality Report Town of D'Lo PWS#: 0640003 May 2014

We're pleased to present to you this year's Annual Quelty Water Report. This report is designed to sinform you about file exally water and services we deline to you can start good is to provide you with a safe and dependable supply of dinking water. We want you to undestand file elloris we make to continually improve the treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water solution is from wells drawing from Catalhouta For

We're pleased to preach to you are you are your and we're an extensive the second process of the please of the process of the please of the pl

moves or present upon the best available treatment technology.

Maximum Contention of Level Code (MCLCG) - The 'Code (MCLCG) is the level of a contaminant in drinking water below which peer is no known or expected risk to health MCLCG and vice a margin of stable.

MCLCG allow for a margin of stable.

MCLCG orssay for control microbal containiques.

Maximum Residual Distribution of the Code (MROLG) - The level of a denining water distribution there is no known or expected six of health. MROLGs do Parts per million (per distribution to control microbal containinums.

Perts per million (per) or Meligramps per time (mg/1) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Perts per billion (pol) or Micrograms per tier - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

					TEST	REST	JLTS					
Contaminant	Violat Y/I			Level I	# of Sa	Detects or emples eding /ACL	Unit Measure -ment	М	CLG	MCL	Likely Source of Contamination	
Inorganic	Conta	minant	5									
10 Barium	N	2013	.02	No R	_	ppm		2		2 Discharge of drill from metal refine deposits	ing wastes; discharge ries; eroslon of natur	
13 Chromium	N	2013	2.1	1.8	1.8 2.1		1	00	10	Discharge from a		
14. Copper	N	2009/11*	.1	0		ppm	1	.3	AL=1,	3 Carrosian of hous	ehold plumbing of natural decosits	
16 Fluoride	N	2013	.14	135	.14	ppm		4	•	Erosion of natura additive which pro	I deposits; water emotes strong leeth, rillizer and aluminum	
17. Cead	N	2009/11*	4	l°		bop		0	AL#15		ehold plumbing of natural deposits	
Disinfectio	n By-I	roduct	s									
Chlorine	N	2013	13	1 - 1.	4	ppm		0	MDRL	= 4 Water additive	used to control	

*Most recent sample No sample required 2013

*Most recent sample No sample recent sample recent sample not recent sample